

**Authorized SAFETYNET2000 Violation Section Numbers
for Vehicle Inspections**

(11/13/2000 Beta3 Release)

VIOLATION CODE	VIOLATION DESCRIPTION
107.620(b)	No copy of US DOT HM registration number
13901	Operating w/o proper motor carrier authority
13906	Oper w/o proper insurance or other securities
171.11(d)	US requirements for ICAO shipment
171.12a(b)	US requirements for TDG shipment
171.12(b)	US requirements for IMDG shipment
171.2(a)	Failure to comply with HM regulations
171.2(b)	Failed to comply with exemption
172.200(a)	No shipping paper provided offeror
172.201(a)(1)	HM not distinguished from non HM
172.201(a)(2)	HM description not printed legibly in english
172.201(a)(3)	HM description contains abbreviation or code
172.201(a)(4)	Additional information after hm basic desc
172.201(c)	Failure to list page of pages
172.201(d)	ER phone number not listed
172.202(a)(1)	No proper shipping name
172.202(a)(2)	No proper hazard class
172.202(a)(3)	Wrong or no id number
172.202(a)(4)	No packing group listed
172.202(a)(5)	Total quantity not listed
172.202(b)	Description not in proper sequence
172.202(c)	Total quantity proper location
172.202(e)	Non HM entered with class or ID#
172.203(a)	Exemption number not listed
172.203(b)	Limited quantity not shown
172.203(c)(1)	Hazardous substance entry missing
172.203(c)(2)	RQ not on shipping paper
172.203(d)(1)	Radioactive material not noted
172.203(d)(10)	No exclusive use notation
172.203(d)(11)	No lSA-SCO notation
172.203(d)(2)	Radionuclide name not on shipping paper
172.203(d)(3)	No ram physical or chemical form
172.203(d)(4)	No ram activity
172.203(d)(5)	No ram label category
172.203(d)(6)	No ram transport index
172.203(d)(7)	No fissile radioactive entry
172.203(d)(8)	No DOE/NRC package approval
172.203(d)(9)	IAEA authority noted
172.203(e)	No empty packaging noted
172.203(h)(1)	No qt/nqt for anhydrous ammonia
172.203(h)(2)	No qt/nqt for lpg
172.203(k)	No technical name for nos entry
172.203(m)(1)	Poison or toxic with subsid hazard
172.203(m)(2)	No tech name 6.1 pg i or ii or 2.3
172.203(m)(3)	No poison inhalation hazard and/or zone A
172.203(n)	No "hot" on shipping paper
172.203(o)	No temp controls noted 4.1 & 5.2
172.205	Hazardous waste manifest not as required
172.301(a)	No shipping name or ID# on non-bulk
172.301(b)	No technical name on non-bulk
172.301(c)	No exemption number on non-bulk
172.301(d)	No consignee/consignor on non-bulk
172.302	Marking requirements bulk packagings
172.302(a)	No ID# (portable & cargo tank)

172.302(b)	Bulk package marking incorrect size
172.302(c)	No exemption number on bulk package
172.303(a)	Prohibited HM marking on package
172.304(a)(1)	Package marking not durable, english or print
172.304(a)(2)	Marking not on sharply contrasting color
172.304(a)(3)	Marking obscured by label or attachments
172.304(a)(4)	Marking not away from other marking
172.308(a)	Package marked with unauthorized abbreviation
172.310(a)(1)	No gross weight on RAM package >159 kg
172.310(a)(2)	RAM package not marked "type A or B"
172.310(a)(3)	No "USA" marking when required
172.310(c)	Type B,B(U),B(M) pkg not mrkd w/radiation sym
172.312(a)	No package orientation arrows
172.312(b)	Prohibited use of orientation arrows
172.313(a)	No "inhalation hazard" on package
172.313(b)	No "poison" on non-bulk plastic package
172.316(a)	ORM non-bulk package not marked
172.320(a)	Class 1 package not marked with ex-number
172.322(b)	No marpol marking on bulk packaging
172.324	Non-bulk hazardous substance not marked
172.325	No "hot" marking for bulk elevated temp
172.325(a)	Elevated temp not marked "Hot"
172.325(b)	Improperly marked molten alum/sulphur
172.326(a)	Port tank no proper shipping name or ID#
172.326(b)	No port tank owner or lessee marking
172.326(c)(1)	No ID# marking on veh carrying portable tank
172.326(c)(2)	Shipper failed to provide ID# to carrier
172.328(a)	Shipper failed to provide or affix ID# for ct
172.328(b)	Cargo tank not marked for class 2
172.328(c)	No qt/nqt marked on cargo tank (mc330/331)
172.330(a)(2)	Tank car tank (non cylinder) not mrkd as reqd
172.330(b)	Vehicle with tank car tank not marked
172.331	Markings for other bulk packages
172.332	ID# marking for (b) panel (c) placards
172.334	Prohibited id number marking
172.338	Carrier failed to replace missing ID number
172.400(a)	Package/containment not labeled as required
172.401	Prohibited labeling
172.402(a)	No label for subsidiary hazard
172.402(b)	Display of class number on label
172.402(d)	Subsidiary labeling for ram
172.402(e)	subsidiary labeling for class 1 materials
172.403(a)	RAM label requirement
172.403(f)	RAM package 2 labels on opposite sides
172.403(g)	Failed to label RAM properly
172.404(a)	Mixed package not properly labeled
172.404(b)	Failed to properly label consolidated package
172.406(a)(1)	Label placement not as required
172.406(c)	Multiple label placement not as required
172.406(d)	Label not on contrasting bkgrnd or no border
172.406(e)	Failed to display duplicate label as required
172.406(f)	Label obscured by marking or attachment
172.502(a)(1)	Prohibited placarding
172.502(a)(2)	Sign/device could be confused with HM placard
172.504(a)	Vehicle not placarded as required
172.504(b)	Dangerous placard violation
172.505(a)	No placard for poison inhalation hazard
172.505(b)	No placard for RAM and corrosive
172.505(c)	Placard for subsidiary dangerous when wet
172.506(a)	Failed to provide placards shipper
172.506(a)(1)	Placards not affixed to vehicle
172.507	RAM highway route controlled quantity
172.512(a)	Freight container not placarded

172.514(a)	Bulk package offered without placard
172.514(b)	Bulk package not placarded residue of hm
172.516(a)	Placard not visible from direction it faces
172.516(c)(1)	Placard not securely affixed or attached
172.516(c)(2)	Placard not clear of appurtenance
172.516(c)(4)	Placard improper location
172.516(c)(5)	Placard not reading horizontally
172.516(c)(6)	Placard damaged, deteriorated, or obscured
172.516(c)(7)	Placard not on contrasting bckgrnd or border
172.519	Placard does not meet specifications
172.600(c)	ER info not available
172.602(a)	ER info missing
172.602(b)	ER info not accessible
172.602(c)(1)	Maintenance of ER information
173.24a(a)(1)	Non-bulk inner packaging closure
173.24a(a)(3)	Non-bulk packaging securing and cushioning
173.24a(b)	Non-bulk package filling limit
173.24a(c)	Non-bulk package mixed contents requirements
173.24(b)	Filed to meet general package requirements
173.24(b)(1)	Release of HM from package
173.24b(a)	Bulk package outage or filling limit rqmts
173.24b(d)(2)	Exceed max weight of rating on spec plate
173.24(c)	Unauthorized packaging
173.25(a)	Failed to meet overpack conditions
173.29(a)	Transporting empty packages (residue)
173.30	Loading/unloading transport vehicles
173.315(a)	Cargo or portable tank class 2, filling densst
173.315(b)	Filling density butadiene or LPG
173.315(j)(3)	Residential gas tank not secure in transport
173.315(j)(4)	LPG storage tank overfilled for transport
173.318(b)(10)	Marking inlets & outlets cryogenic tanks
173.318(g)	No one way travel time (owtt)
173.31(d)	Retesting for multiunit tank car tanks
173.32b(a)	IM portable tank periodic testing
173.32b(d)	Test date marking
173.32c(g)(1)	IM101/102 outlet closures
173.32c(g)(2)	IM101/102 outlet closures
173.32(e)(1)	Portable tank retest schedule (out of date)
173.33(e)(3)	Portable tank retest marking
173.33(a)	Cargo tank general requirements
173.33(b)	Cargo tank loading requirements
173.33(c)(2)	Cargo tank not marked with design or mawp
173.34(a)	Cylinder qualification & use
173.34(c)	Cylinder markings
173.34(e)	Cylinder retest and marking
173.35(a)	Intermediate bulk container requirements
173.35(d)	liquid filled ibc-ullage over 98%
173.35(f)(2)	IBC not secured to or within vehicle
173.40	General requirements poisons in cylinder
173.412	Gen type a failing to meet addtl req design
173.412(b)	No seal for type a RAM package
173.427(a)(iv)	No instructions for exclusive use pkg LSA
173.427(a)(vi)	LSA package not marked as required
173.431	Exceeded activity limits type A or B package
173.441(a)	Exceeding radiation LVL allowed for transport
173.441(b)	Exceeding radiation level for exclusive use
173.441(c)	No exclusive use instructions
173.447	RAM transport storage violation
173.448	General RAM transport requirements
173.54	Forbidden explosives, offering or transportng
173.60	General packaging requirements explosives
173.9(b)	Failed to warn of fumigated load
177.804	Failed to comply with FMCSR

177.816	Driver training requirements
177.817(a)	No shipping papers (carrier)
177.817(b)	Shipper certification missing (when required)
177.817(e)	Shipping paper accessibility
177.823(a)	No placards/markings when required
177.834(a)	Package not secure in vehicle
177.834(c)	Smoking while loading or unloading
177.834(g)	Failed to prevent relative motion
177.834(i)	Attendance of cargo tank (load or unload)
177.834(j)	Manholes and valves not closed or leak free
177.834(m)(1)	Securing spec 106a or 110a tanks
177.834(n)	Improper spec 56, 57, im101 & im102
177.835	Improper transport of explosives (class 1)
177.838	Improper transport of class 4, 5 or div 4.2
177.839	Improper transporting of class 8
177.840	Improper transport of class 2
177.840(g)	Discharge valve not closed in transit class 2
177.841	Improper transport of division 6.1 or 2.3
177.841(e)	Poison label loaded with foodstuffs
177.842(a)	Total TI exceeds 50 non-exclusive use
177.842(b)	Distance from package to person RAM
177.842(d)	Blocking and bracing of RAM packages
177.848(d)	Prohibited load/transport/storage combination
177.848(f)	Class 1 load separation or segregation
178.245-4	DOT51 integrity and securement
178.245-5	DOT51 valve protection
178.245-6	DOT51 ID plate
178.245-6(b)	DOT51 spec markings
178.251	Gen design/const DOT56(178.252) DOT57(178.253
178.251-4	DOT 56/57 integrity and securement
178.251-7	DOT 56/57 ID plate
178.251-7(b)	DOT56/57 spec markings
178.253-2	DOT57 manhole
178.253-3	DOT57 valve protection
178.253-4	DOT57 pressure relief
178.255-11	DOT60 integrity and securement
178.255-14	DOT60 ID plate
178.255-4	DOT60 manhole
178.255-7	DOT60 valve protection
178.255-8	DOT60 pressure relief
178.270-1	IM101/102 general design
178.270-11(d)(1)	IM101/102 pressure relief
178.270-14	IM101/102 spec plate
178.270-4	IM101/102 frames
178.270-8	IM101/102 valve protection
178.270-9	IM101/102 manholes
178.32C(m)	IM101/102 load securement
178.336-10	Protecting of fittings MC330
178.336-13	Anchoring of tank MC330
178.336-17	Metal ID plate marking MC330
178.336-17(a)	Certification plate MC330
178.336-9(a)	Safety relief devices MC330
178.336-9(c)	Marking of inlets/outlets MC330
178.337-10(a)	Protection of fittings MC331
178.337-10(d)	Rear end protection MC331
178.337-11(a)(2)	Internal valve MC331
178.337-11(a)(2)(i)	Remote control >3500 gal MC331
178.337-11(a)(2)(ii)	Remote control <3500 gal MC331
178.337-11(b)	Shut off valves MC331
178.337-13	MC331 supports and anchoring
178.337-17(a)	Metal id plate missing MC331
178.337-8(a)(2)	Outlets MC331
178.337-9	Pressure relief devices MC331

178.337-9(c)	Marking inlets/outlets MC331
178.338-10(a)	Protection of fittings MC338
178.338-10(c)	Rear end protection MC338
178.338-10(e)	Ground clearance MC338
178.338-11(b)	Manual shutoff valve MC338
178.338-11(c)	Internal valve MC338
178.338-11(c)(1)	Remote control >3500 gal MC338
178.338-11(c)(2)	Remote control <3500 gal MC338
178.338-12	Shear section MC338
178.338-13	Supports and anchoring MC338
178.338-18(a)	Name plate missing MC338
178.338-18(b)	Specification plate missing MC338
178.338-6	Manhole MC338
178.338-8	Pressure relief devices MC338
178.340-10(b)	MC306/307/312 metal certificatn plate missing
178.340-6	MC306/307/312 supports & anchoring
178.340-7(a)	MC306/307/312 ring stiffeners
178.340-7(c)	MC306/307/312 double bulkhead drain
178.340-7(d)(2)	MC306/307/312 ring stiffener drain hole
178.340-8(a)	MC306/307/312 appurtenances attachment
178.340-8(b)	MC306/307/312 rearend protection
178.340-8(c)	MC306/307/312 overturn protection
178.340-8(d)(1)	MC306/307/312 piping protection
178.340-8(d)(2)	MC306/307/312 minimum road clearance
178.341-3(a)	MC 306 no manhole closure
178.341-4	MC306 venting
178.341-4(d)(1)	MC306 inadequate emergency venting
178.341-4(d)(2)	MC 306 pressure activated vents
178.341-4(d)(3)	MC 306 no fusible venting
178.341-5(a)	MC306 internal valves
178.341-5(a)(1)	MC306 heat actuated safety
178.341-5(a)(2)	MC306 remote control shutoff
178.342-3	MC307 manhole closure
178.342-4	MC307 venting
178.342-5(a)	MC307 internal valve
178.342-5(a)(1)	MC307 heat actuated safety
178.342-5(a)(2)	MC307 remote control shutoff
178.343-3	Manhole closure MC312
178.343-4	Venting MC312 (show calculations)
178.343-5(a)	MC 312 top outlet and valve
178.343-5(b)(1)	MC312 bottom valve/piping protection
178.345-10	DOT406/407/412 pressure relief
178.345-11(b)	DOT406/407/412 tank valves
178.345-11(b)(1)(i)	DOT406/407/412 remote control
178.345-11(b)(1)(ii)	DOT406/407/412 thermal and remote
178.345-14(b)	DOT406/407/412 name plate
178.345-14(c)	DOT406/407/412 specification plate
178.345-1(I)(2)	406, 407, 412 double bulkhead drain
178.345-5(d)	DOT406/407/412 manhole securement
178.345-6	DOT406/407/412 supports & anchoring
178.345-7(d)(4)	DOT406/407/412 ring stiffener drain
178.345-8(a)	DOT406/407/412 accident protection
178.345-8(a)(5)	DOT406/407/412 minimum road clearance
178.345-8(b)	DOT406/407/412 bottom damage protection
178.345-8(c)	DOT406/407/412 rollover damage protection
178.345-8(d)	DOT406/407/412 rear end protection
178.703(a)	IBC manufacturer markings
178.703(b)	IBC additional markings
178.704(e)	IBC protection valves
178.800(c)(6)	IBC test dates
179.300-12	DOT106/110aw protection of fittings
179.300-13	DOT106/110aw venting and valves
179.300-15	DOT106/110aw safety relief devices

179.300-18	DOT106/110aw stamping of tanks
180.352(b)	IBC retest or inspection
180.352(d)	IBC retest date marking
180.405(b)	Cargo tank specifications
180.405(j)	Cargo tank withdrawal certification
180.407(c)	Cargo tank periodic test and inspection
180.415(b)	Cargo tank test or inspection markings
383.21(a)	Operating a CMV with more than 1 drv license
383.23(a)(2)	Operating a CMV without a CDL
383.23(c)	Operating on learner's permit w/o CDL holder
383.23(c)(1)	Operating on learner's permit w/o CDL holder
383.23(c)(2)	Oper on learner's permit w/o valid drv lic
383.51(a)	Driving a CMV (CDL) while disqualified
383.91(a)	Operating a cmv with improper CDL group
383.93(b)(1)	No double/triple trailer endorsement on CDL
383.93(b)(2)	No passenger vehicle endorsement on CDL
383.93(b)(3)	No tank vehicle endorsement on CDL
383.93(b)(4)	No hazardous materials endorsement on CDL
383.95(a)	Violating airbrake restriction
387.31(f)	No proof of financial resp-foreign passenger
387.7(f)	No proof of financial responsibility-foreign
390.21(a)	Not marked in accordance with regulations
391.11(b)(1)	Interstate driver under 21 years of age
391.11(b)(2)	Non-english speaking driver
391.11(b)(6)	Operating CMV without corrective lenses
391.11(b)(7)	No or invalid driver's license cmv
391.15(a)	Driving a CMV while disqualified
391.41(a)	No medical certificate on driver's possession
391.43(e)	Improper medical exam form
391.43(g)	Improper medical examiner's certificate
391.45(b)	Expired medical examiner's certificate
391.49(j)	No valid medical waiver in driver's possessn
392.10(a)(1)	Failing to stop at railroad crossing-bus
392.10(a)(2)	Failing to stop at railroad crossing-chlorin
392.10(a)(3)	Failing to stop at railroad crossing-placard
392.10(a)(4)	Failing to stop at railroad crossing-HM cargo
392.14	Failed to use caution for hazardous condition
392.15(a)	Failing or improper use of turn signal
392.15(b)	Failed to signal direction from parked positn
392.15(c)	Failing to signal a lane change
392.15(d)	Using turn signal to indicate disabled vehicl
392.15(e)	Using turn signal as a "do pass"
392.16	Failing to use seat belt while operating CMV
392.2	Local laws (general)
392.20	Failing to properly secure parked vehicle
392.22(a)	Failing to use hazard warning flashers
392.22(b)	Failing/improper placement of warning devices
392.2C	Local laws/failure to obey traff cntl device
392.2FC	Local law/following too close
392.2LC	Local law/improper lane change
392.2P	Local law/improper passing
392.2R	Local law/reckless driving
392.2S	Local law/speeding
392.2T	Local laws/improper turns
392.2W	Local laws/size and weight
392.2Y	Local laws/failure to yield right of way
392.3	Operating a CMV while ill/fatigued
392.33	Operating CMV with lamps/reflectors obscured
392.4(a)	Driver uses or is in possession of drugs
392.5(a)	Poss/use/under inflnce alcohol-4hrs prio duty
392.5(c)(2)	Violating OOS order pursuant to 392.5(a)/(b)
392.60(a)	Unauthorized passenger on board CMV
392.63	Pushing/towing a loaded bus

392.7	No pretrip inspection
392.71(a)	Using or equipping a CMV with radar detector
392.8	Failing to inspect/use emergency equipment
392.9	Driver load secure
392.9(a)	Failing to secure load
392.9(a)(1)	Failing to secure cargo/393.100-393.106
392.9(a)(2)	Failing to secure vehicle equipment
392.9(a)(3)	Driver's view/movement is obstructed
392.9b	Hearing aid not worn while operating CMV
393.100	No or improper load securement
393.100(a)	No or improper load securement
393.100(e)	Improper securement of intermodal containers
393.102	Improper securement system (tiedown assembles)
393.102(a)	Improper securement syst (tiedown assemblies)
393.104(a)	Improper blocking and/or bracing-longitudinal
393.104(b)	Improper blocking and/or bracing-lateral
393.106(a)	No/improper front end structure/headerboard
393.11	No/defective lighting devices/ref/projected
393.17	No/defective lamp/reflector-towaway operation
393.17(a)	No/defective lamps-towing unit-towaway oper
393.17(b)	No/defective side marker
393.19	No/defective turn/hazard lamp as required
393.20	No/improper mounting of clearance lamps
393.201(a)	Frame cracked/broken/bent/loose
393.201(b)	Bolts securing cab broken/loose/missing
393.201(c)	Frame rail flange improperly bent/cut/notched
393.201(d)	Frame accessories not bolted/riveted securely
393.201(e)	Prohibited holes drilled in frame rail flange
393.203	Cab/body parts requirements violations
393.203(a)	Cab door missing/broken
393.203(b)	Cab/body improperly secured to frame
393.203(c)	Hood not securely fastened
393.203(d)	Cab seats not securely mounted
393.203(e)	Cab front bumper missing/unsecured/protrude
393.205(a)	Wheel/rim cracked or broken
393.205(b)	Stud/bolt holes elongated on wheels
393.205(c)	Wheel fasteners loose and/or missing
393.207(a)	Axle positioning parts defective/missing
393.207(b)	Adj axle locking pin missing/disengaged
393.207(c)	Leaf spring assembly defective/missing
393.207(d)	Coil spring cracked and/or broken
393.207(e)	Torsion bar cracked and/or broken
393.207(f)	Air suspension pressure loss
393.209(a)	Steering wheel not secured/broken
393.209(b)	Excessive steering wheel lash
393.209(c)	Loose steering column
393.209(d)	Steering system components worn/welded/missng
393.209(e)	Power steering violations
393.24(b)	Non-compliance with headlamp requirements
393.25(b)	Lamps are not visible as required
393.25(f)	Stop lamp violations
393.28	Improper or no wiring protection as required
393.30	Improper battery installation
393.32	Improper electrical connections
393.33	Improper wiring installations
393.40	Inadequate brake system on a CMV
393.41	No or defective parking brake system on CMV
393.42	No brakes as required
393.43	No/improper breakaway or emergency braking
393.43(a)	No/improper tractor protection valve
393.43(d)	No or defective automatic trailer brake
393.44	No/defective bus front brake line protection
393.45	Brake tubing and hose adequacy

393.45(a)(4)	Brake hose/tubing chaffing and/or kinking
393.45(a)(5)	Brake hose/tubing contacting exhaust system
393.46	Brake hose/tube connection
393.46(b)	Brake connections with leaks/constrictions
393.47	Inadequate brake lining for safe stopping
393.48(a)	Inoperative/defective brakes
393.48(b)(1)	Defective brake limiting device
393.50	Inadequate reservoir for air/vacuum brakes
393.50(a)	Failing to have sufficient air/vacuum reserve
393.50(b)	Failing to equip veh-prevent res air/vac leak
393.50(c)	No means to ensure operable check valve
393.51	No or defective brake warning device
393.60(b)	Damaged or discolored windshield
393.60(c)	Use of vision reducing matter on windows
393.61(a)	Inadequate or missing truck side windows
393.61(b)	Buses-window escape inoperative/obstructed
393.61(b)(2)	No or defective bus emergency exits
393.61(c)	Buses-push out window requirements violation
393.62	Window obstructed which would hinder escape
393.63	No or inadequate bus escape window markings
393.65	Fuel system requirements
393.65(b)	Improper location of fuel system
393.65(c)	Improper securement of fuel tank
393.65(f)	Improper fuel line protection
393.67	Fuel tank requirement violations
393.67(c)(7)	Fuel tank fill pipe cap missing
393.67(c)(8)	Improper fuel tank safety vent
393.70	Fifth wheel
393.70(a)	Defective coupling device-improper tracking
393.70(b)	Defective/improper fifth wheel assemblies
393.70(b)(2)	Defective fifth wheel locking mechanism
393.70(c)	Defective coupling devices for full trailer
393.70(d)	No/improper safety chains/cables for full trl
393.71	Improper coupling driveaway/towaway operation
393.71(h)	Towbar requirement violations
393.71(h)(10)	No/improper safety chains/cables for towbar
393.75(a)	Flat tire or fabric exposed
393.75(a)(1)	Tire-ply or belt material exposed
393.75(a)(2)	Tire-tread and/or sidewall separation
393.75(a)(3)	Tire-flat and/or audible air leak
393.75(a)(4)	Tire-cut exposing ply and/or belt material
393.75(b)	Tire-front tread depth less than 4/32 of inch
393.75(c)	Tire-other tread depth less than 2/32 of inch
393.75(d)	Tire-bus regrooved/recap on front wheel
393.75(e)	Tire-regrooved on front of truck/truck-trac
393.75(f)	Tire-load weight rating/under inflated
393.75(f)(2)	Tire under-inflated
393.76	Sleeper berth requirement violations
393.77	Defective and/or prohibited heaters
393.77(b)(11)	Bus heater fuel tank location
393.77(b)(5)	Tampering with bus heater
393.78	Windshield wipers inoperative/defective
393.79	Defroster inoperative
393.80	No or defective rear-vision mirror
393.81	Horn inoperative
393.82	Speedometer inoperative
393.83(a)	Exhaust system location
393.83(b)	Exhaust discharge fuel tank/filler tube
393.83(c)	Improper exhaust-bus (gasoline)
393.83(d)	Improper exhaust-bus (diesel)
393.83(e)	Improper exhaust discharge (not rear of cab)
393.83(f)	Improper exhaust system repair (patch/wrap)
393.83(g)	Exhaust leak under truck cab and/or sleeper

393.83(h)	Exhaust system not securely fastened
393.84	Inadequate floor condition
393.86	No or improper rearend protection
393.87	No flag on projecting load
393.88	Improperly located tv receiver
393.89	Bus driveshaft not properly protected
393.9	Inoperable lamp (other than head/tail)
393.90	Bus-no or obscure standee line
393.91	Bus-improper aisle seats
393.92	Bus-no/improper emergency door marking
393.93(a)	Bus-not equipped with seat belt
393.93(b)	Truck not equipped with seat belt
393.95(a)	No/discharged/unsecured fire extinguisher
393.95(c)	Spare fuses not as required
393.95(f)	Emergency warning devices not as required
393.95(g)	HM-restricted emergency warning device
393.9H	Inoperable head lamps
393.9T	Inoperable tail lamp
395.13(d)	Driving after being declared out-of-service
395.15(g)	On-board recording device info not available
395.1(i)(1)	15,20,70/80 hours of service violations (AK)
395.1(i)(2)	Adverse driving conditions violations (AK)
395.3(a)(1)	10 hour rule violation
395.3(a)(2)	15 hour rule violation
395.3(b)	60/70 hour rule violation
395.8	Log violation (general/form and manner)
395.8(a)	No drivers record of duty status
395.8(e)	False report of drivers record of duty status
395.8(f)(1)	Drivers record of duty status not current
395.8(k)(2)	Driver failing to retain previous 7 days logs
396.11	Driver vehicle inspection report
396.13(c)	No reviewing driver's signature on DVIR
396.17(c)	Operating a CMV without periodic inspection
396.3(a)	Inspection, repair, and maintenance
396.3(a)(1)	Inspection/repair and maintenance
396.3A1B	Brakes (general)
396.3A1BA	Brake-out of adjustment
396.3A1BC	Brake-air compressor violation
396.3A1BD	Brake-defective brake drum
396.3A1BL	Brake-reserve system pressure loss
396.3A1T	Tires (general)
396.5(b)	Oil and/or grease leak
396.9(c)(2)	Operating an out-of-service vehicle
397.101(b)	RAM vehicle not on preferred route
397.101(d)	No written route plan - RAM
397.101(e)(2)	Copy of training record/route (RAM)
397.11(a)	Hazmat vehicle operated near open fire
397.11(b)	Hazmat vehicle parked within 300 ft. of fire
397.13	Smoking within 25 ft of HM vehicle
397.15	HM vehicle fueling violation
397.17	No tire examine hazmat vehicle
397.19	No instructions/docs 1.1/1.2/1.3
397.19(c)	Required documents not in possession-explosiv
397.1(b)	Driver/carrier must obey part 397
397.3	State/local laws ordinances regulations
397.5(a)	Unattended explosives 1.1/1.2/1.3
397.5(c)	Unattended hazmat vehicle
397.67	HM vehicle routing violation (non RAM)
397.7(a)	Improperly parked explosives vehicle
397.7(b)	Improperly parked hazmat vehicle
398.3(b)	Driver qualif-migrant workers
398.3(b)(8)	No doctor's certificate in possession
398.4	Driving of veh-migrant workers

398.5	Parts/access-migrant workers
398.6	Violation of hours of service reg-migrant
398.7	Inspect/maint mv-migrant workers
399.207	Vehicle access requirements violations
399.211	Inadequate maintenance of driver access
13902(c)(4)(B)	Operating beyond geographical restrictions
171.5(a)(1)(i)	Fail to deter if dischrge system is leak free
171.5(a)(1)(iii)	Unload w/o prompt activation of internl valve
171.5(a)(1)(v)	Fail to displ emerg operat proced for transfr
171.5(a)(1)(vi)	Fail to provide training for oper under 171.5
171.5(b)	Fail to mark cargo tank used under 171.5
172.310(a)	No gross weight on RAM package>50KG
172.310(b)	RAM package not marked "Type A or B"
173.24(f)(1)	Closures for pkgs must not be open or leaking
178.270-6	IM 101/102 frames
178.345-5(e)	DOT 406/407/412 manhole marking
387.301(a)	No evidence of public liab and prop dmg insur
387.301(b)	No evidence of cargo insurance
387.303(b)(4)	No copy of certificate of registration
387.307	Prop brkr-no evdn of bond or trust fund agrm
387.403(a)	Freight forwarder-no evidence of insurance
387.403(b)	Frt fwdrd-no evdnce of pub liab & prop dmg ins
391.11(b)(4)	Oper com veh w/o corr lenses or hearing aid
391.11(b)(5)	Not licensed for type vehicle being operated
392.25(e)	Lamp not steady burning
393.26	Requirements for reflectors
393.75(f)(1)	Weight carried exceeds tire load limit
396.5	Excessive oil leaks
396.7	Unsafe operations forbidden
172.700	Training of HM employees
390.21(c)	Improper marking, size, shape
390.21(e)	Improper marking, rented CMV
392.6	Scheduling run to necessitate speeding
396.9(d)(2)	Failure to correct defects noted on insp
396.9(d)(3)	Failure to return insp rpt within 15 days
396.1	Must have knowledge of and comply with regs
397.2	Must comply w/ rules Parts 390-397-transp HM
391.11	Driver qualification